FORM PTO-14497 and B (Modified)

INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

Sheet 1 of 3

APPLICATION NO.: 09/581,500 ATTY. DOCKET NO.: B0192.70019US00

CONFIRMATION NO.: 9967

APPLICANT: Christine Van Broeckhoven, et al.

GROUP ART UNIT: 1634

EXAMINER: Diana B. Johannsen

U.S. PATENT DOCUMENTS

Examiner's Initials	Cite	U.S. Patent Document		Name of Patentee or Applicant of Cited	Date of Publication or of issue
	No.	Number	Kind Code	Document	of Cited Document MM-DD-YYYY

FOREIGN PATENT DOCUMENTS

Examiner's Initials	Cite No.	Foreign Patent Document		ment	Name of Patentee or Applicant of Cited	Date of Publication of	Translation
		Office/ Country	Number	Kind Code	Document (not necessary)	Cited Document MM-DD-YYYY	(Y/N)
On	Bl	WO	97/11175		Medical Research Council, et al.	03-27-1997	
On	B2	wo	97/17445		Centre Nat Rech Scient, et al.	05-15-1997	
On	В3	WO	97/37043		Univ of California, et al.	10-09-1997	
				İ			

OTHER ART — NON PATENT LITERATURE DOCUMENTS

Examiner's Initials	Cite	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate), title of the item	Translation
publisher, city and/or country where published.		(book, magazine, journal, serial, symposium, catalog, etc.), date, relevant page(s), volume-issue number(s), publisher, city and/or country where published.	(Y/N)
	CI	BERRETTINI et al. Chromosome 18 DNA markers and manic-depressive illness: evidence for a	
CM		susceptibility gene. Proc Natl Acad Sci U S A 91(13):5918-21, 1994.	
	C2	BRESCHEL, T.S., et al., A novel heritable expanding CTG repeat in an intron of the SEF2-1 gene on chromosome 18q21.1 Human Molecular Genetics, 6(11):1855-1863, 1997.	
	C3	COON et al, Analysis of chromosome 18 DNA markers in multiplex pedigrees with manic depression Biol Psychiatry. 39(8):689-96, 1996.	
	C4	DE BRUYN et al, Linkage analysis of families with bipolar illness and chromosome 18 markers. <i>Biol Psychiatry</i> . 39(8):679-688, 1996.	
	C5	EWALD, H., et al., Susceptibility loci for bipolar affective disorder on chromosome 18: a review and a study of Danish families. Psychiatric Genetics. 7:1-12, 1997.	
	C6	FREIMER et al, Genetic mapping using haplotype, association and linkage methods suggests a locus for severe bipolar disorder (BPI) at 18q22-q23. Nat Genet. 12(4):436-441, 1996.	
	C7	GENBANK Accession Number G03587 - human STS WI-1783, sequence tagged site - 19-OCT-1995	
	C8	GENBANK Accession Number G03589 - human STS WI-528, sequence tagged site, 19-OCT-1995	
	C9	GENBANK Accession Number G03602 - human STS WI-2620, sequence tagged site, 19-OCT-1995	
	C10	GENBANK Accession Number G03617 human STS WI-4211, sequence tagged site, 19-OCT-1995	
	C11	GENBANK Accession Number G04207 - human STS WI-3170, sequence tagged site, 19-OCT-1995	

Examiner's Initials	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate), title of (book, magazine, journal, serial, symposium, catalog, etc.), date, relevant page(s), volume-issue nui publisher, city and/or country where published.		Translation (Y/N)
Ch	C12	GENBANK Accession Number G05278 human STS WI-5654, sequence tagged site, 19-OCT-1995	
_ (/\ _	C13	GENBANK Accession Number G05488 - human STS WI-9959, sequence tagged site, 19-OCT-1995	
	C14	GENBANK Accession Number G06102 - human STS WI-9340, sequence tagged site, 19-OCT-1995	
	C15	GENBANK Accession Number G06377 human STS WI-7061, sequence tagged site, 19-OCT-1995	
	C16	GENBANK Accession Number G06527 human STS WI-7336, sequence tagged site, 19-OCT-1995	
	C17	GENBANK Accession Number G07990 human STS CHLC.GATA2E06.P6006 clone GATA2E06, sequence tagged site, 05-FEB-1997	
	C18	GENBANK Accession Number G08001 - human STS CHLC.GATA52H04.P16177 clone GATA52H04, sequence tagged site, 05-FEB-1997	
	C19	GENBANK Accession Number G08003, human STS CHLC.GATA69F01.P18099 clone GATA69F01, sequence tagged site, 05-FEB-1997	
	C20	GENBANK Accession Number G08015 human STS CHLC.GATA92C08.P28080 clone GATA92C08, sequence tagged site, 05-FEB-1997	
	C21	GENBANK Accession Number G09104 human STS CHLC.GATA3E08.P6051 clone GATA3E08, sequence tagged site 14-AUG-1995	
	C22	GENBANK Accession Number G09150 - human STS CHLC.GATA3E12.P6553 clone GATA3E12, sequence tagged site, 14-AUG-1995	
	C23	GENBANK Accession Number G09484 human STS CHLC.GCT3G01.P10825 clone GCT3G01, sequence tagged site, 14-AUG-1995	
	C24	GENBANK Accession Number G09963 - human STS CHLC.GATA61E10.P17745 clone GATA61E10, sequence tagged site, 15-AUG-1995	
	C25	GENBANK Accession Number G10262 - human STS CHLC.GATA117C05.P34272 clone GATA117C05, sequence tagged site, 15-AUG-1995	
	C26	GENBANK Accession Number L40377 - Homo sapiens cytoplasmic antiproteinase 2 (CAP2) mRNA, complete cds, 18-JAN-1996	
	C27	GENBANK Accession Number T49159 - yb09e07.s1 Stratagene placenta (#937225) Homo sapiens cDNA clone IMAGE:70692 3' similar to similar to gb:J02685 PLASMINOGEN ACTIVATOR INHIBITOR-2, PLACENTAL (HUMAN), MRNA sequence, Feb 6 1995	
	C28	GENBANK Accession Number X63657 - H.sapiens fvt1 mRNA, 30-JUN-1993	
	C29	GENBANK Accession Number Z16621 H. sapiens (D18S55) DNA segment containing (CA) repeat; clone AFM122xc1; single read, 28-NOV-1994	
	C30	GENBANK Accession Number Z16781 - H. sapiens (D18S60) DNA segment containing (CA) repeat; clone AFM178xe3; single read, 28-NOV-1994	
<u> </u>	C31	GENBANK Accession Number Z17122 - H. sapiens (D18S68) DNA segment containing (CA) repeat; clone AFM248yb9; single read, 28-NOV-1994	_
a	C32	GENBANK Accession Number Z23354 - H. sapiens (D18S466) DNA segment containing (CA) repeat; clone AFM094ye5; single read, 27-NOV-1994	

690255.1

Jugu 3130/03

Cite No	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, relevant page(s), volume-issue number(s).	Translati (Y/N	ion
	(book, magazine, journal, serial, symposium, catalog, etc.), date, relevant page(s), volume-issue number(s), publisher, city and/or country where published.		
C33	GENBANK Accession Number Z23850 - H. sapiens (D18S465) DNA segment containing (CA) repeat; clone AFM260yh1; single read, 28-NOV-1994		
C34	GENBANK Accession Number Z24399 H. sapiens (D18S483) DNA segment containing (CA) repeat; clone AFM324wc9; single read, 28-NOV-1994		
C35	GOOSSENS et al., No evidence for the involvement of CAG/CTG repeats from within 18q21.33-q23 in bipolar disorder. E. J. of Hum. Genet. 8: 385-388, 2000.		_
C36	MCMAHON et al., Linkage of Bipolar Affective Disorder to Chromosome 18 Markers in a New Pedigree Series, Am. J. Hum. Genet. 61: 1397-1404, 1997.		
C37	O'DONOVAN, M.C., et al., Expanded CAG repeats in schizophrenia and bipolar disorder. Nature Genetics. 10:380-381, 1995.		
C38	SPENCE et al. Bipolar disorder: evidence for a major locus. Am J Med Genet. 60(5):370-6, 1995.		
C39	STINE et al. Evidence for linkage of bipolar disorder to chromosome 18 with a parent-of-origin effect. Am J Hum Genet. 57(6):1384-94, 1995.		
C40	TURECKI, G., et al., Evidence for a role of phospholipase C-Gamma.1 in the pathogenesis of bipolar disorder. Molecular Psychiatry. 3(6):534-538, 1998.		
C41	VERHEYEN, G.R., et al., Genetic refinement and physical mapping of a chromosome 18q candidate region for bipolar disorder. Eur. J. Human Genetics. 7(4):427-434, 1999.		
	C35 C36 C37 C38 C39 C40	GENBANK Accession Number Z24399 H. sapiens (D18S483) DNA segment containing (CA) repeat; clone AFM324wc9; single read, 28-NOV-1994 C35 GOOSSENS et al., No evidence for the involvement of CAG/CTG repeats from within 18q21.33-q23 in bipolar disorder. E. J. of Hum. Genet. 8: 385-388, 2000. C36 MCMAHON et al., Linkage of Bipolar Affective Disorder to Chromosome 18 Markers in a New Pedigree Series, Am. J. Hum. Genet. 61: 1397-1404, 1997. C37 O'DONOVAN, M.C., et al., Expanded CAG repeats in schizophrenia and bipolar disorder. Nature Genetics. 10:380-381, 1995. C38 SPENCE et al. Bipolar disorder: evidence for a major locus. Am J Med Genet. 60(5):370-6, 1995. C39 STINE et al. Evidence for linkage of bipolar disorder to chromosome 18 with a parent-of-origin effect. Am J Hum Genet. 57(6):1384-94, 1995. C40 TURECKI, G., et al., Evidence for a role of phospholipase C-Gamma.1 in the pathogenesis of bipolar disorder. Molecular Psychiatry. 3(6):534-538, 1998. C41 VERHEYEN, G.R., et al., Genetic refinement and physical mapping of a chromosome 18 candidate.	C34 GENBANK Accession Number Z24399 H. sapiens (D18S483) DNA segment containing (CA) repeat; clone AFM324wc9; single read, 28-NOV-1994 C35 GOOSSENS et al., No evidence for the involvement of CAG/CTG repeats from within 18q21.33-q23 in bipolar disorder. E. J. of Hum. Genet. 8: 385-388, 2000. C36 MCMAHON et al., Linkage of Bipolar Affective Disorder to Chromosome 18 Markers in a New Pedigree Series, Am. J. Hum. Genet. 61: 1397-1404, 1997. C37 O'DONOVAN, M.C., et al., Expanded CAG repeats in schizophrenia and bipolar disorder. Nature Genetics. 10:380-381, 1995. C38 SPENCE et al. Bipolar disorder: evidence for a major locus. Am J Med Genet. 60(5):370-6, 1995. C39 STINE et al. Evidence for linkage of bipolar disorder to chromosome 18 with a parent-of-origin effect. Am J Hum Genet. 57(6):1384-94, 1995. C40 TURECKI, G., et al., Evidence for a role of phospholipase C-Gamma.1 in the pathogenesis of bipolar disorder. Molecular Psychiatry. 3(6):534-538, 1998.

EXAMINER	0.	DATE CONSIDERED	
	Chapus	3-30-05	

#EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

[NOTE - Must provide a copy of any patent, publication, other information listed, even if it was previously submitted to, or cited by, the U.S. Patent Office in an earlier application, unless the earlier application is identified by the IDS and is relied upon for an earlier filing date under 35 U.S.C. §120, and the copy was provided in the earlier application.]

^{*}a copy of this reference is not provided as it was previously cited by or submitted to the office in a prior application, Serial No. ___, filed ___, and relied upon for an earlier filing date under 35 U.S.C. 120 (continuation, continuation-in-part, and divisional applications).